

Nuclear Radiation Sensing Field Effect Transistor (NürFET) Dosimeter in Reader Circuit Mode Data Sheet

**400 nm SiO₂- Six Pad NürFET (Product ID: SO-400-ID#1-V1)
Dose Range from 0.1 Gy to 1500 Gy**

General Information

The NÜRDAM NÜRFET chip, enclosed in an 8-lead ceramic DIP side braze package. This component includes two NÜRFETs, as illustrated in Figure 1 and detailed in Table 1. The NürFETs exhibit distinct characteristics, with a W/L ratio of 400µm/60µm (R1) and 300 µm/50µm (R2). The NürFETs' gate oxide thickness is 400nm. Source/bulk tied together for NürFET-R1, while remaining terminals both for R1 and R2 tied separate.




Table 1: Pin-Out Description

PIN No	Description
PIN 1	- Source/Bulk of R1 - Bulk for R2
PIN 2	Drain of R1
PIN 3	Gate of R1
PIN 4	No Connection
PIN 5	Gate of R2
PIN 6	Drain of R2
PIN 7	No Connection
PIN 8	Source of R2

Figure 1: NürFETs and pin-out drawing.

Absolute Maximum Ratings

Table 2: Absolute Maximum ratings of the NürFETs

Characteristics	Specification	Unit	Remarks
Drain-Source Voltage, V_{ds}	- 5 to - 20	Volt	Ideally -10 V
Gate-Source Voltage, V_{gs}	± 40	Volt	
Drain-Gate Voltage, V_{ds}	± 40	Volt	
Drain Current, I_{ds}	- 1	mAmper	Continuous
Temperature Operation Range*, T_{op}	- 40 to + 110	Celcius (°C)	

* No dew condensation: In high humidity environments, if there is a temperature difference between a product and its surroundings, condensation may form on the product's surface. This condensation can lead to degradation in its characteristics and reliability.

Operations

Irradiation Detection Configuration

For optimal performance in this operating mode, it is advised to ensure that all terminals of the NürFET are grounded. If you seek alternative biasing options, please reach out with us.

Read-Out Configuration

The NürFET can be read at flexible intervals, determined by the specific application. The time span between readings can range from seconds to days or even weeks. Refer to Figure 2 for the Reader Circuit (RC) utilized to read the NürFET.




Figure 2: Reader Circuit (RC) configuration, RC-I-V curves at different temperatures




Figure 3: Calibration curve demonstrates the variation in $V_{RC,th}$ during irradiation. The process is conducted at 20 °C using a Co-60 gamma source, with a dose rate of approximately 220 Gy/h. Error bar contains four distinct NürFETs measurements.

The NürFET is subjected to the forced current I_{RC} in the RC configuration. The voltage at the source, denoted as $V_{RC,th}$, is then measured, representing the RC-threshold-voltage. Essentially, any read-out current (I_{RC}) exceeding $1.0 \mu A$ can be selected, provided that the value remains constant after the onset of radiation exposure. For optimal temperature compensation, it is advisable to operate for an I_{RC} value between $-35 \mu A$ and $-25 \mu A$ for R1, minimizing the impact of temperature variations as illustrated in Figure 2. Irradiation dose is determined by the change in threshold voltage resulting from charges trapped by radiation. A typical calibration curve under irradiation exposure is illustrated in Figure 3 and some features of NürFETs are listed in Table 3.

Table 3: Additional Information of NürFETs

Characteristics	Specification	Unit	Remarks
Initial Threshold Voltage in RC*	-8.9 to -11.5	Volt	Figure 2 @ $I_{RC} = 10 \mu A$
Measurable Dose Range**	0.1 to 1500	Grays	Tested with Co-60 irradiation
Maximum sensitivity, S_{max} ***	24 ± 1.0	mV/Gy	@ 40 Gy
Fading	5.1 ± 0.6	Percentage %	@ 20 °C in 5 days
Price****	55	Euro	Taxes and Shipping Excluded


* The exact value will be provided prior to shipment in documentation that comes with ordered parts.

**The NürFETs exhibits an extensive dynamic range, spanning from 0.1 Gy (10 rad) to 1500 Gy (150 krad) and beyond, with the possibility of further extension through additional calibration.

***A fit function will be provide for the read-out electronics or calibration curve given Figure 3 can be followed for accurate dose measurements

**** Please do not hesitate to inquire about prices for multiple orders. Please ask price of the unpackaged bare NürFET chips, if need.

Package Dimensions (Unit: inch)



Additions

Concerning the upper limit of dose range, the NürFET is capable of measuring doses exceeding 1.5 kGy (up to 10 kGy). Nevertheless, the sensitivity diminishes with increasing dose, and the acceptability of this sensitivity loss depends on the specific requirements of the application.

Despite the supplied calibration curve covering doses from 1 to 1500 Gy, further measurements at room temperature reveal that doses as low as 0.1 Gy can be detected. Use constant I_{RC} at Temperature compensation level and sensitive read-out system for measurement of doses lower than 1 Gy.

The packaging tool is the empty 8 Lead Side Brazed with SSM P/N CSB00815 product code made by Kyocera.

Customers with requirements that differ significantly from the above conditions should contact senolkaya@ibu.edu.tr to discuss the best way to implement NürFETs for their specific applications